



Wood Waste Monofill Permit Application
 Alaska Department of Environmental Conservation
 Solid Waste Program

DEC Office Only:
 Landfill Name: _____
 Authorization #: _____

Instructions

This application is for a new permit or a permit renewal for a Wood Waste Monofill.

If the required information is not applicable, please **explain why**. If it was included in a previous application AND it has not changed since submitted, you can either resubmit the information or provide a specific reference or citation where it can be found.

For new facilities and lateral expansions of existing facilities, prepare a draft application with a list of any questions, and schedule a meeting with the local DEC office.

Section 1. General Information

Landfill Name:

Location (Community Name):

Legal Description:

General Description:

Latitude:

Longitude:

Meridian:

Range:

Township:

Section:

Section 2. Fees

A check or money order for the appropriate fees (listed in 18 AAC 60.700 Table I-3) must be submitted with the permit application. If not included, the application will be returned to the applicant.

1. Submit payment for the application review fee, if required. The application review fee is only required for an initial application, not for renewals.
2. Submit payment to cover waiver request fees, if applicable. Each waiver request requires a separate fee.

This application is for an: Existing Landfill New Landfill

Section 3. Cover Letter and Certifications

Submit a cover letter with the following information and signature.
 [18 AAC 60.210(a); 18 AAC 60.210(b)(1); 18 AAC 60.210(b)(2)]

1.	A statement indicating you wish to obtain a permit for a wood waste monofill.
2.	Evidence showing the proposed facility meets the requirements for a wood waste monofill.
3.	A brief general description of the site topography, geology, climate, surface hydrology and groundwater hydrology.
4.	A statement that you are aware of all applicable local ordinances and zoning requirements.
5.	The applicant must submit a signed copy of the application cover letter.
6.	The applicant must submit a signed copy of the following statement, which may be added exactly as shown in the box below to the cover letter. As an alternative, the applicant may sign this sheet and submit it as an attachment to the cover letter.

I certify under penalty of perjury, that all of the information and exhibits in this cover letter and application are true, accurate, and complete.

Printed Name:

Title:

Signature:

Date:

All applications must be signed as follows per 18 AAC 15.030:

- **Corporations:** A principal executive officer, an officer that is no lower than the level of vice president, or a duly authorized representative who is responsible for the overall management of the project or operation.
- **Municipal, state, federal, or other public entity:** A principal executive officer, ranking elected official, or duly authorized employee.
- **Partnerships:** A general partner.
- **Sole proprietorship:** The proprietor.

Section 4. Contact Information [18.AAC 60.210(b)(2)]

Applicant:		Contact Name:		
Address:		City:	State:	Zip:
Email:		Phone:		
Type of Entity:	Corporation	Individual	Other:	
State of Incorporation or Registration:		Alaska Business License Number:		
IRS Tax ID Number:				
Facility Owner:		Contact Name:		
Address:		City:	State:	Zip:
Email:		Phone:		
Facility Operator:		Contact Name:		
Address:		City:	State:	Zip:
Email:		Phone:		
Agent/Consultant:		Contact Name:		
Address:		City:	State:	Zip:
Email:		Phone:		
Landowner:		Contact Name:		
Address:		City:	State:	Zip:
Email:		Phone:		

Section 5. Waste Handling and Processing Information

[18 AAC 60.210(b)(2); 18 AAC 60.210(b)(3)(B); 18 AAC 60.210(b)(4); 18 AAC 60.480(b)]

1.	List the amount of wood waste you expect to receive at the site each year: <p style="text-align: center;">in Tons Cubic Yards</p>
2.	At least 95% of the total fill volume must have waste measuring less than one cubic foot in size. Up to 5% of the total fill volume can include waste measuring up to five cubic feet in size. Butt ends and stumps may not be placed in a wood waste monofill. Explain how you will ensure that wood waste deposited into this facility meets these size limitations.

Section 6. Waiver Requests and Justification [18 AAC 60.210(b)(1)(D)]

18 AAC 60.900 allows DEC to grant an exemption from any regulation not required by federal law. However, each waiver request increases the permit application fee by the amount listed on Table I-3 of 18 AAC 60.700.

Waiver requests must include a list of each regulation for which you are requesting a waiver, and for each requested waiver, a detailed justification that meets the criteria of 18 AAC 60.900 by demonstrating that:

- Compliance with the identified provision would cost significantly more than the value of the environmental benefit, public health risk reduction, and nuisance avoidance that could be achieved through compliance with the identified provision; or
- The proposed alternative action will provide equal or better environmental protection, reduction in public health risk, and control of nuisance factors than compliance with the identified provision.

Section 7. Location Information

1.	Property Ownership and Location Information [18 AAC 60.210(b)(3)(A); 18 AAC 60.210(b)(7)]
	<p>a. Attach a copy of the deed or another legal document that identifies the landowner.</p> <p>Title of the Attachment:</p>
	<p>b. If the applicant is not the landowner, attach a written and notarized statement signed by the landowner showing that the landowner consents to the landfill, and agrees to the placement of a notation on the deed, or a copy of any lease agreement that clearly states the same.</p> <p>Title of the Attachment:</p>
2.	Surface Water Information [18 AAC 60.210(b)(3); 18 AAC 60.225; 18 AAC 60.410]
	<p>a. Discuss the potential for surface water run-on into the landfill:</p>
	<p>b. Discuss the potential for sediment carried by runoff from the landfill to impact nearby surface water:</p>
	<p>c. If the landfill is located in a floodplain, attach documentation to demonstrate the landfill:</p> <ul style="list-style-type: none"> • will not restrict the flow of the flood or reduce the temporary storage capacity of the floodplain, and • is designed to protect against washout of the solid waste. <p>Title of the Attachment:</p>
3.	Groundwater Information [18 AAC 60.217; 18 AAC 60.820(a)(8)]
	<p>a. Attach information documenting the highest measured level of groundwater under the landfill area. The base of any new unlined cells or lateral expansions may not be located closer than 10 feet above groundwater unless constructed two feet or more above the ground surface.</p> <p>Title of the Attachment:</p>
	<p>b. Annual precipitation (in inches)</p>
	<p>c. Source used to determine annual precipitation</p>

4.	Permafrost Information [18 AAC 60.210(b)(3)(B); 18 AAC 60.227]
	<p>a. If the landfill is located on permafrost, explain why there is no practical alternative to the site chosen.</p>
	<p>b. If the landfill is located in an area of discontinuous permafrost, provide a summary of what is known about the permafrost (e.g. total depth, depth of active zone, areal extent, temperature, etc.).</p>
5.	<p>Maps Attach maps and/or aerial photographs as needed to show the following. You may submit maps that show more than one of the required items. For example, one map can show property boundaries, nearest airport, wetland and surface water locations, etc. [18 AAC 60.040; 18 AAC 60.210(b)(3); 18 AAC 60.410]</p>
	<p>a. Location of the landfill property boundaries.</p>
	<p>b. Location of surface water bodies and streams within 200 feet of the landfill property boundaries.</p>
	<p>c. Location of the known or inferred boundaries of permafrost or discontinuous permafrost within 500 feet of the landfill property boundaries.</p>
	<p>d. Location of all drinking water wells within a half mile. There should be no wells within 500 feet of the landfill property boundaries.</p>
	<p>e. Location of the boundary of any 100-year floodplain in the area.</p>
	<p>f. Location of any documented earthquake faults or unstable areas within 200 feet of the landfill property boundary.</p>
6.	Map Sources [18 AAC 60.210(b)(2)]
	<p>a. List the sources of information used to compile the maps in item 5, including a complete citation.</p>

Section 8. Facility Design

A complete set of design drawings must be submitted with the following information, with drawings included for both the design and closure of the landfill, as appropriate. Landfill drawings should be organized as shown below, with the design drawings placed in the first part of the drawing set and closure drawings included at the end of the set. It is understood that landfill closure design drawings will be conceptual only unless the landfill is within 5 years of closing.

Note: The application and all design documents must be stamped and sealed by a registered engineer.
[18 AAC 60.210(c)]

Landfill Design Drawings

1.	Site map(s) which show site conditions including: [18 AAC 60.210(b)(3); 18 AAC 60.220; 18 AAC 60.233; 18 AAC 60.480(a)]
	a. All previous, existing and planned disposal areas. The drawings should demonstrate all waste will be at least 50 feet from the landfill property boundaries.
	b. Fences, gates, berms and other access control devices around the facility.
	c. Access roads to and within the facility.
2.	Plan view, construction detail, and cross section drawings with contour lines that show: [18 AAC 60.210(b)(3); 18 AAC 60.210(b)(4); 18 AAC 60.225; 18 AAC 60.410]
	a. Any planned excavations before waste cell construction.
	b. All roads, ditches, trenches berms, culverts, and surface water control devices associated with the landfill.
	c. Any planned leachate collection piping system, including manholes and pump stations.
	d. Liner construction details, including cover and liner anchors, liner penetrations, etc.
3.	Design calculations, data and documentation must include the following and supporting calculations. [18 AAC 60.210(b)(3); 18 AAC 60.210(b)(4); 18 AAC 60.210(c); 18 AAC 60.227(b)]
	a. Printouts of inputs, assumptions and outputs from any computer model used to support the facility design.
	b. Information and calculations of the wood waste that will be disposed onsite over the usable life of the facility, including the maximum design capacity of the facility.
	c. Information and calculations showing how the facility will be protected from any reasonably anticipated natural event such as aufeis, floods, earthquakes, thawing of unstable permafrost, and the effects of freezing and thawing.
	d. If located on permafrost, documentation showing that the permafrost will remain frozen to the greatest extent practical.
	e. Information and calculations used to estimate the permeability and maximum anticipated depth of leachate over any proposed liner.
	f. If applicable, a Quality Assurance Plan for the liner installation.

Landfill Closure Drawings

4.	Conceptual drawings of the facility after closure is completed. [18 AAC 60.210(b)(3)(E)]
----	--

Section 9. Operations Plan

The operations plan should be a separate document that provides sufficient detail and information to guide a landfill operator in performing all necessary tasks for day-to-day operation of the landfill.

The operations plan is a flexible document that should be reviewed annually and updated as necessary. The following table represents the minimum requirements which must be included. Additional information should be included, as needed to ensure the facility operates in compliance with the State Solid Waste Regulations. A copy of the operations plan should be kept at the landfill and it **must include** the following information.

1.	Access control [18 AAC 60.210(b)(3)(C); 18 AAC 60.220]
	a. Access to the facility will be controlled using gates, fences, berms or other means of preventing access; hours of operation; signage; and other control measures.
	b. Prohibited activities, such as target practice or off road vehicle use will be prevented.
	c. Access and onsite roads will be kept passable and safe for vehicles year round.
	d. List where each of the previous items are located in the Operations Plan by section or page number.
2.	Waste acceptance and handling policy [18 AAC 60.210(b)(3)(C); 18 AAC 60.240(a); 18 AAC 60.240(b); 18 AAC 60.420(b)]
	a. Waste screening procedures to ensure no prohibited or unacceptable wastes are disposed in the facility.
	b. Any signage placed at the facility entrance.
	c. Any waste processing procedures that will be used prior to disposal.
	d. List where each of the previous items are located in the Operations Plan by section or page number.
3.	Waste placement plan [18 AAC 60.210(b)(3)(B); 18 AAC 60.210(b)(3)(C); 18 AAC 60.225(a)]
	a. Waste placement methods (specific details defining the process).
	b. The planned progression of the working face, including landfill development over the life of the facility (diagrams are acceptable).
	c. How unstable slopes will be avoided.

	d. List where each of the previous items are located in the Operations Plan by section or page number.
4.	Litter, vector and nuisance control plan [18 AAC 60.210(b)(3)(C); 18 AAC 60.210(b)(3)(D); 18 AAC 60.230(a); 18 AAC 60.233(2); 18 AAC 60.420(a); AS 46.06.080]
	a. Procedures to ensure wildlife and domestic animals do not endanger the public or landfill staff, are not harmed by contact with the waste, and do not become a nuisance.
	b. Procedures to control dust, odor, noise, traffic, litter, disease vectors and other effects from facility operations so they do not become a nuisance or hazard outside of the landfill property boundaries.
	c. List where each of the previous items are located in the Operations Plan by section or page number.
5.	Corrective action plan (procedures for immediate action) [18 AAC 60.210(b)(3)(C); 18 AAC 60.210(b)(3)(D); 18 AAC 60.480(d); 18 AAC 60.815(a)]
	a. Cleaning up any improper or unauthorized waste disposal
	b. Repairing any damage to the facility or structures
	c. Addressing any violations of regulations or permit conditions.
	d. Responding to combustion or a fire within the wood waste.
	e. List where each of the previous items are located in the Operations Plan by section or page number.
6.	Operating record [18 AAC 60.235]
	a. State where will the operating record for the facility be kept.
	Note: The operating record must contain all documentation listed in 18 AAC 60.235 and be retained in a location readily accessible to DEC and facility employees.

Section 10. Monitoring Plan

The monitoring plan must include sufficient detail to allow all monitoring to be completed in full compliance with the applicable regulations and permit conditions. It must include the following information and a statement for each monitoring type that explains why the monitoring is being done.

1.	Visual monitoring plan [18 AAC 60.210(b)(3)(D); 18 AAC 60.800(a)]
	a. Description of the procedures for visual monitoring of the landfill.
	b. Checklist or visual monitoring form including all applicable items in 18 AAC 60.800(a).
2.	Surface water monitoring plan (if required by DEC) [18 AAC 60.210(b)(3)(D); 18 AAC 60.810; 18 AAC 60.840]
	a. Information about topography and surface water flow at the landfill.
	b. A detailed map showing permanent sampling site locations and surface water flow direction.
	c. Identification of and information about background and compliance sampling sites, including an explanation of why each site was chosen.
	d. Specific information about sampling frequency and schedules.
	e. A list of constituents for which samples will be analyzed.
	f. Detailed monitoring procedures as outlined in 18 AAC 60.810(e).
	g. A Quality Assurance and Quality Control Plan providing specific details about sampling and testing methodology.
	h. A statement that monitoring reports will be submitted to DEC within 60 days of receiving laboratory data or by the date(s) stipulated in the permit.
3.	Groundwater monitoring plan (if applicable) [18 AAC 60.210(b)(3)(D); 18 AAC 60.217; 18 AAC 60.480(e); 18 AAC 60.820; 18 AAC 60.825; 18 AAC 60.830; 18 AAC 60.840]
	a. Information about groundwater hydrology at the landfill including depth to groundwater, direction and velocity of flow, with supporting documentation.
	b. A detailed map showing well locations and groundwater flow direction and rate.
	c. Well drilling logs, soil boring logs and well installation information for all background and compliance wells.
	d. An explanation of how each groundwater monitoring well location was selected, including documentation such as geophysical reports, survey data or maps and any other data used to evaluate subsurface conditions at the site and to determine monitoring well placement.
	e. Specific information about sampling frequency and schedules.
	f. A list of constituents for which samples must be analyzed.
	g. Information about statistical methods that will be used in statistical analysis of the analytical data.
	h. A Quality Assurance and Quality Control Plan providing specific details about sampling and testing methodology.
	i. A statement that monitoring reports will be submitted to DEC within 60 days of receiving laboratory data or by the date(s) stipulated in the permit, and the reports will comply with the

	Groundwater Monitoring Checklist on the ADEC website at http://dec.alaska.gov/eh/sw/Monitoring.html .
4.	Thermal monitoring plan (if required by DEC) [18 AAC 60.210(b)(3)(D); 18 AAC 60.480(d)]
	a. A description of the procedures and equipment used for thermal monitoring of the landfill.
	b. Specific information about thermal monitoring frequency and schedules.
	c. Information about how thermal monitoring results will be reported to DEC.

Section 11. Closure Plan and Cost Estimate

It is understood that the closure plan submitted with the permit application will be conceptual and may change throughout the active life of the facility. If the landfill is within 5 years of closure, a detailed closure plan must be submitted and approved by DEC. The closure plan **must include** the following information.

1	Description of the closure process [18 AAC 60.210(b)(3)(E); 18 AAC 60.210(b)(6); 18 AAC 60.245; 18 AAC 60.270; 18 AAC 60.480(e); 18 AAC 60.490]
	a. A description of the final cover and appearance of the facility meeting the standards of 18 AAC 60.480(e).
	b. A description of the methods and procedures for final cover installation.
	c. A timeline or schedule for all activities needed to complete closure.
	d. A description of the anticipated post closure (future) use of the property.
	e. A description and map of proposed survey monuments or permanent markers.
	f. A statement of how DEC will be notified that the requirements of 18 AAC 60.270 and 18 AAC 60.490 have been met.
2	Financial information (if required by DEC) [18 AAC 60.210(b)(5); 18 AAC 60.210(b)(3)(F); 18 AAC 60.265]
	a. The total present-day equivalent cost estimate for an independent contractor (do not assume onsite use of any material or machinery) to close the facility. A quote from a consultant or calculation showing all relevant operations for closure is required. The State of Virginia has developed the Landfill Closure/Post-Closure Cost Estimate Worksheet (CEW-01 and CEW-02) in Excel available online at http://www.deq.virginia.gov/Programs/LandProtectionRevitalization/Forms.aspx . Please note that you need to complete both tabs, but only sections relevant to your facility.
	b. The total present-day equivalent cost estimate for an independent contractor to perform post-closure care of the facility.
	c. Demonstration of the mechanism of financial responsibility to cover the cost of closing the landfill and post-closure care. Proof of financial responsibility may be demonstrated by self-insurance, insurance, or other guarantee approved by DEC.

Section 12. Additional Information

Use the space below for additional information as part of the application.